

Clean Livin'

PAUL MANN FIFTY-EIGHT



CLEAN LIVIN': A MAN'S MACHINE WITH A WOMAN'S TOUCH

Two-and-a-half years after flying to a Virginia Beach Jimmy Buffet concert and making a side visit to Manns Harbor, former Southern Cross owners Bill and Laura Pitten began building their dream boat, *Clean Livin'*, a warm, traditional and very comfortable Paul Mann 58'. Bill, Laura and Paul's team created *Clean Livin'* primarily for serious fishing but also to accommodate family trips to the Bahamas from their Florida home base. Bill is an owner/operator with a keen interest in the mechanical systems. Laura's superb taste is evident in the handcrafted varnished cherry wood throughout the vessel. A special touch is a bamboo sole in the galley. *Clean Livin'* has two staterooms with double berths, one with bunks above for the kids. *Clean Livin'*, built for practical speed and long service, will keep the family happily fishing well into the future.

SPECIFICATIONS

Length Overall:	58' 10"
Beam:	17' 10"
Draft:	4' 6"
Weight (dry):	58,000 lb.
Fuel capacity:	1100 gal.
Water capacity:	300 gal.
Test engines:	850 hp MAN diesel inboards
Trans/ratio:	ZF 195 1.75:1
Props:	30 x 36.5 cup 4 blade
Steering:	Hynautic hydraulic w/power assist
Controls:	Mathers microcommand clear command single lever

Clean Livin'

PAUL MANN FIFTY-EIGHT



CUSTOM EQUIPMENT LIST

Two master suites along with spacious vberth double and two single bunks each with built-in entertainment centers • Splendid combo washer dryer in master • Cathedral cherry • granite counter tops • Sub-Zero refrigerator/freezer • cooktop • microwave • custom octagonal bar stools • custom leather seating with baseball stitching • custom liquor cabinet • Sea Recovery watermaker • ICOM radio • ICOM SSB • Furuno Color machine • Furuno Radar 72 mile, Roberson Auto pilot • ACR spotlight • Oberdorfer oil-change pump • 12K Northern Lights genset • Eskimo Ice machine • Release fighting chair • 41-foot Tournament Rupp outriggers • Gen-Air electric outdoor grill • dual Charles Marine Isoboost voltage stabilizers

PERFORMANCE*

RPM	MPH (knots)	GPH
1200	17.3 (15)	
1500	20.7 (18)	
1850	28.8 (25)	50
1950	31 (27)	58
2050	32.2 (28)	
2300	39.1 (34)	

* Owner supplied performance information

